

Trying 3106016892...Open

Welcome to STN International! Enter x:x  
 LOGINID:SSSPTA1613SXW  
 PASSWORD:  
 TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America  
 NEWS 2 Dec 17 The CA Lexicon available in the CAPLUS and CA files  
 NEWS 3 Feb 06 Engineering Information Encompass files have new names  
 NEWS 4 Feb 16 TOXLINE no longer being updated  
 NEWS 5 Apr 23 Search Derwent WPINDEX by chemical structure  
 NEWS 6 Apr 23 PRE-1967 REFERENCES NOW SEARCHABLE IN CAPLUS AND CA  
 NEWS 7 May 07 DGENE Reload  
 NEWS 8 Jun 20 Published patent applications (A1) are now in USPATFULL

NEWS EXPRESS May 23 CURRENT WINDOWS VERSION IS V6.0a,  
 CURRENT MACINTOSH VERSION IS V5.0C (ENG) AND V5.0JB (JP),  
 AND CURRENT DISCOVER FILE IS DATED 06 APRIL 2001

NEWS HOURS STN Operating Hours Plus Help Desk Availability  
 NEWS INTER General Internet Information  
 NEWS LOGIN Welcome Banner and News Items  
 NEWS PHONE Direct Dial and Telecommunication Network Access to STN  
 NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 17:00:50 ON 21 JUN 2001

=> fil reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.15	0.15

FILE 'REGISTRY' ENTERED AT 17:00:56 ON 21 JUN 2001  
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
 COPYRIGHT (C) 2001 American Chemical Society (ACS)

STRUCTURE FILE UPDATES: 20 JUN 2001 HIGHEST RN 342773-47-1  
 DICTIONARY FILE UPDATES: 20 JUN 2001 HIGHEST RN 342773-47-1

TSCA INFORMATION NOW CURRENT THROUGH January 11, 2001

conducting SmartSELECT searches.

Structure search limits have been increased. See HELP SLIMIT  
for details.

=>


Uploading 577789b.str

L1 STRUCTURE UPLOADED

=> d

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1 sss sam

SAMPLE SEARCH INITIATED 17:01:21 FILE 'REGISTRY'  
SAMPLE SCREEN SEARCH COMPLETED - 2553 TO ITERATE

39.2% PROCESSED 1000 ITERATIONS 2 ANSWERS  
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)  
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
BATCH \*\*COMPLETE\*\*  
PROJECTED ITERATIONS: 48031 TO 54089  
PROJECTED ANSWERS: 2 TO 237

L2 2 SEA SSS SAM L1

=> s l1 full

FULL SEARCH INITIATED 17:01:29 FILE 'REGISTRY'  
FULL SCREEN SEARCH COMPLETED - 49000 TO ITERATE

100.0% PROCESSED 49000 ITERATIONS 120 ANSWERS  
SEARCH TIME: 00.00.05

L3 120 SEA SSS FUL L1

=> fil caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	133.56	133.71

FILE 'CAPLUS' ENTERED AT 17:01:40 ON 21 JUN 2001

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

FILE COVERS 1947 - 21 Jun 2001 VOL 134 ISS 26  
FILE LAST UPDATED: 20 Jun 2001 (20010620/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

This file supports REGISTRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for more information.

CAPLUS now provides online access to patents and literature covered in CA from 1947 to the present. On April 22, 2001, bibliographic information and abstracts were added for over 2.2 million references published in CA from 1947 to 1966.

The CA Lexicon is now available in the Controlled Term (/CT) field. Enter HELP LEXICON for full details.

Attention, the CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

=> s 13 full

L4 56 L3

=> s 14 and hyperplasia?

16996 HYPERPLASIA?  
L5 0 L4 AND HYPERPLASIA?

=> s 14 and prosta?

97545 PROSTA?  
L6 0 L4 AND PROSTA?

=> s 14 and prostatic?

10559 PROSTATIC?  
L7 0 L4 AND PROSTATIC?

=> s 14 and pharmaceutical?

191412 PHARMACEUTICAL?  
L8 14 L4 AND PHARMACEUTICAL?

=> d 18 1-14 ibib abs hitstr

L8 ANSWER 1 OF 14 CAPLUS COPYRIGHT 2001 ACS  
ACCESSION NUMBER: 2001:10087 CAPLUS  
DOCUMENT NUMBER: 134:66173  
TITLE: Fluorine-substituted biphenyl butyric acids and their

metalloproteinases  
 INVENTOR(S): Purchase, Claude Forsey, Jr.; Roth, Bruce David;  
 Schielke, Gerald Paul; Walker, Lary Craswell; White,  
 Andrew David  
 PATENT ASSIGNEE(S): Warner-Lambert, USA  
 SOURCE: U.S., 31 pp.  
 CODEN: USXXAM  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 6169103	B1	20010102	US 1999-256714	19990224
PRIORITY APPLN. INFO.:			US 1998-76633	P 19980303
OTHER SOURCE(S): MARPAT 134:66173				


AB Fluorine-substituted biphenyl butyric acid compds. and derivs. are described as well as acid methods for the prepn. and **pharmaceutical** compns. of same, which are useful as inhibitors of matrix metalloproteinases, particularly gelatinase A, stromelysin-1, and collagenase-3, and for the treatment of atherosclerotic plaque rupture, aortic aneurism, heart failure, restenosis, periodontal disease, corneal ulceration, treatment of burns, decubital ulcers, wound healing, cancer, inflammation, pain, arthritis, osteoporosis, multiple sclerosis, renal disease, and other autoimmune or inflammatory disorders dependent upon tissue invasion by leukocytes or other activated migrating cells, acute and chronic neurodegenerative disorders including stroke, head trauma, spinal cord injury, Alzheimer's disease, amyotrophic lateral sclerosis, cerebral amyloid angiopathy, AIDS, Parkinson's disease, Huntington's disease, prion diseases, myasthenia gravis, and Duchenne's muscular dystrophy.

IT 315668-99-6 315669-00-2

RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)  
 (fluorinated butyric acid derivs. as matrix metalloproteinase inhibitors)


RN 315668-99-6 CAPLUS


CN 2H-Isoindole-2-pentanoic acid, .alpha.-[2-(4'-chloro-2-fluoro[1,1'-biphenyl]-4-yl)-2-(hydroxyimino)ethyl]-.alpha.-fluoro-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX NAME)



RN 315669-00-2 CAPLUS

CN 2H-Isoindole-2-pentanoic acid, .alpha.-[2-(4'-chloro-3-fluoro[1,1'-biphenyl]-4-yl)-2-(hydroxyimino)ethyl]-.alpha.-fluoro-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX NAME)





REFERENCE COUNT: 16

REFERENCE(S):

- (1) Aisen, P; Dementia 1995, V9, P173 CAPLUS
- (2) Andersen, K; Neurology 1995, V45, P1441 CAPLUS
- (5) Anon; WO 9809940 1998 CAPLUS
- (6) Armstrong, P; Can J Cardiol 1994, V10, P214

CAPLUS

- (8) Bendeck, M; Circulation Research 1994, V75, P539 CAPLUS

ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER: 2000:84604 CAPLUS

DOCUMENT NUMBER: 132:141951

TITLE: **Pharmaceutical** compositions containing ACAT and MMP inhibitors for the treatment of atherosclerotic lesions

INVENTOR(S): Bocan, Thomas Michael Andrew

PATENT ASSIGNEE(S): Warner-Lambert Company, USA

SOURCE: PCT Int. Appl., 222 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000004892	A2	20000203	WO 1999-US13948	19990618
WO 2000004892	A3	20000518		
W: AE, AL, AU, BA, BB, BG, BR, CA, CN, CU, CZ, EE, GD, GE, HR, HU, ID, IL, IN, IS, JP, KP, KR, LC, LK, LR, LT, LV, MG, MK, MN, MX, NO, NZ, PL, RO, SG, SI, SK, SL, TR, TT, UA, US, UZ, VN, YU, ZA, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
AU 9947017	A1	20000214	AU 1999-47017	19990618
BR 9912296	A	20010417	BR 1999-12296	19990618
EP 1098662	A2	20010516	EP 1999-930483	19990618
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
NO 2001000291	A	20010118	NO 2001-291	20010118
PRIORITY APPLN. INFO.:			US 1998-93639	P 19980721
			WO 1999-US13948	W 19990618
AB	Acyl-CoA:cholesterol acyltransferase (ACAT) and matrix metalloproteinase (MMP) inhibitors are coadministered for the redn. of both the macrophage and smooth muscle cell component of atherosclerotic lesions, thus impairing the expansion of existing lesions and the development of new lesions and for the prevention of plaque rupture and the promotion of lesion regression in a mammal. The direct antiatherosclerotic potential of the combination of ACAT inhibitor, [[2,4,6-tris-(1-methyl)phenyl]acetyl]-2,6-bis(1-methylethyl)phenyl sulfamic acid, and the HMG-CoA reductase inhibitor, simvastatin, in rabbits was studied. A tablet contained 2-(4'-bromobiphenyl-4-sulfonylamino)-3-Me butyric acid			
25	ACAT compd. lactose 50, corn starch 20, and magnesium stearate 5 mg.			
IT	179546-41-9 179546-43-1			

(pharmaceutical compns. contg. ACAT and MMP inhibitors for treatment of atherosclerotic lesions)

RN 179546-41-9 CAPLUS


CN 2H-Isoindole-2-butanoic acid,  
.alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-  
oxoethyl]-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX NAME)



RN 179546-43-1 CAPLUS

CN 2H-Isoindole-2-butanoic acid,  
.alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-  
oxoethyl]-1,3-dihydro-1,3-dioxo-, (.alpha.R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



L8 ANSWER 3 OF 14 CAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER: 1999:670997 CAPLUS

DOCUMENT NUMBER: 131:283326

TITLE: Matrix metalloprotease-inhibiting biaryl acetylenes  
and their use as therapeutics

INVENTOR(S): Dixon, Brian R.; Chen, Jinshan

PATENT ASSIGNEE(S): Bayer Corp., USA

SOURCE: U.S., 25 pp.

CODEN: USXXAM

DOCUMENT TYPE: Patent

LANGUAGE: English


FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 5968795	A	19991019	US 1997-856694	19970515
PRIORITY APPLN. INFO.:			US 1996-645028	P 19960515
			US 1996-70454	P 19960515
			US 1996-70454	P 19960515

OTHER SOURCE(S): MARPAT 131:283326

GI



AB Matrix metalloprotease inhibiting compds., **pharmaceutical** compns. thereof and a method of disease treatment using such compds. are presented. The compds. are I (R1=CH2OH, (n-Pr)2NCH2, CH3CO2CH2, EtOCO2CH2, HO(CH2)2, CH3CO2(CH2)2, HO2C(CH2)2, OHC(CH2)3, HO(CH2)4, 3-HO-Ph, PhCH2OCH2; R2=3-phenylpropyl, N-phthalimidoethyl). These compds.

are useful for inhibiting matrix metalloproteases and, therefore, combating conditions to which MMP's contribute, such as osteoarthritis, rheumatoid arthritis, septic arthritis, periodontal disease, corneal ulceration, proteinuria, aneurysmal aortic disease, dystrophic epidermolysis bullosa, conditions leading to inflammatory responses, osteopenias mediated by MMP activity, temporomandibular joint disease, demyelinating diseases of the nervous system, tumor metastasis or degenerative cartilage loss following traumatic joint injury, and coronary thrombosis from atherosclerotic plaque rupture. The present invention also provides **pharmaceutical** compns. and methods for treating such conditions.


IT 199672-20-3P 199672-21-4P

RL: BAC (Biological activity or effector, except adverse); PRP (Properties); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
(matrix metalloprotease-inhibiting biaryl acetylenes and their use as therapeutics)

RN 199672-20-3 CAPLUS

CN 2H-Isoindole-2-butanoic acid, 1,3-dihydro-1,3-dioxo-.alpha.-[2-oxo-2-[4'-(3-(phenylmethoxy)-1-propynyl)][1,1'-biphenyl]-4-yl]ethyl]- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B

—CH2—Ph

RN 199672-21-4 CAPLUS

CN 2H-Isoindole-2-butanoic acid, 1,3-dihydro-.alpha.-[2-[4'-(3-hydroxy-1-propynyl)][1,1'-biphenyl]-4-yl]-2-oxoethyl]-1,3-dioxo- (9CI) (CA INDEX NAME)




IT 179546-44-2P 199672-27-0P 199672-37-2P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation)  
(matrix metalloprotease-inhibiting biaryl acetylenes and their use as  
therapeutics)

RN 179546-44-2 CAPLUS

CN 2H-Isoindole-2-butanoic acid,


.alpha.-[2-(4'-bromo[1,1'-biphenyl]-4-yl)-2-oxoethyl]-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX NAME)



RN 199672-27-0 CAPLUS

CN Propanedioic acid, [2-(4'-bromo[1,1'-biphenyl]-4-yl)-2-oxoethyl][2-(1,3-dihydro-1,3-dioxo-2H-isoindol-2-yl)ethyl]-, di-2-propenyl ester (9CI)


(CA INDEX NAME)




RN 199672-37-2 CAPLUS

CN 2H-Isoindole-2-butanoic acid, .alpha.-[2-[4'-[3-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]-1-propynyl][1,1'-biphenyl]-4-yl]-2-oxoethyl]-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX NAME)

PAGE 1-A







REFERENCE COUNT: 8  
REFERENCE(S): (1) Anon; DE 2112716 1972 CAPLUS  
(2) Anon; WO 9615096 1996 CAPLUS  
(3) Chiccarelli; Arzneim-Forsch 1980, V30(4A), P707 CAPLUS  
(4) Child; Arzneim-Forsch 1980, V30(4A), P695 CAPLUS  
(5) Child; Journal of Pharmaceutical Sciences 1977, V66(4), P466 CAPLUS  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 4 OF 14 CAPLUS COPYRIGHT 2001 ACS  
ACCESSION NUMBER: 1999:468334 CAPLUS  
DOCUMENT NUMBER: 131:125454  
TITLE: Matrix metalloprotease (MMP)-13 selective inhibitors for treatment of arthritis deformans and other MMP-related diseases  
INVENTOR(S): McClure, Kim Francis; Lopresti-Morrow, Lori Lynn; Mitchell, Peter Geoffrey; Reeves, Lisa Marie; Reiter, Lawrence Alan; Robinson, Ralph Pelton; Yocum, Sue Ann  
PATENT ASSIGNEE(S): Pfizer Products Inc., USA  
SOURCE: Jpn. Kokai Tokkyo Koho, 10 pp.  
CODEN: JKXXAF  
DOCUMENT TYPE: Patent  
LANGUAGE: Japanese  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 11199512	A2	19990727	JP 1998-289540	19981012
EP 935963	A2	19990818	EP 1998-308563	19981020
EP 935963	A3	20001004		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
CA 2251197	AA	19990424	CA 1998-2251197	19981022
AU 9889481	A1	19990520	AU 1998-89481	19981022
PRIORITY APPLN. INFO.:			US 1997-62766	P 19971024
AB	Matrix metalloprotease (MMP)-13 selective inhibitors including 1-([4-(4-fluorophenoxy)benzenesulfonyl]-pyridin-3-ylmethylamino)-cyclopentanecarboxylic acid and other compds. and their <b>pharmaceutically</b> acceptable salts are claimed for treatment of arthritis deformans and other MMP-related diseases. The inhibitory effects of these compds. on MMP 1 and MMP 13 were tested.			
IT	179546-41-9 179546-42-0 RL: BAC (Biological activity or effector, except adverse); THU (Therapeutic use); BIOL (Biological study); USES (Uses) (matrix metalloprotease (MMP)-13 selective inhibitors for treatment of arthritis deformans and other MMP-related diseases)			
RN	179546-41-9 CAPLUS			
CN	2H-Isoindole-2-butanoic acid, .alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl]-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX NAME)			



optionally substituted by HO or Ph, lower alkenylene, or -O-(lower alkylene)-; n is 0, 1 or 2; Z is oxygen or sulfur; W is oxygen, sulfur, -CH:CH-, -NH- or -N:CH-; R1, R2 and R3 are the same or different and are hydrogen, halogen, hydroxyl, a substituted or unsubstituted lower alkyl group, a substituted or unsubstituted lower alkoxy group, a substituted or

or unsubstituted amino group, CO<sub>2</sub>H or an amide or an ester thereof, cyano, lower alkylthio, lower alkanesulfonyl, substituted or unsubstituted SO<sub>2</sub>NH<sub>2</sub>, etc.; R4 is tetrazolyl, carboxyl group, amide or ester; R5 is hydrogen, nitro, amino, hydroxyl, lower alkanoyl, lower alkyl, etc.; R6

is selected from (a) a substituted or unsubstituted Ph group, (b) a substituted or unsubstituted pyridyl group, (c) a substituted or unsubstituted thienyl group, (d) a substituted or unsubstituted benzofuranyl group, etc.; or a **pharmaceutically** acceptable salt thereof]. These phenylalanine derivs. are useful for treating or preventing conditions caused by .alpha.4-mediated cell adhesion such as rheumatoid arthritis, asthma, psoriasis, eczema, contact dermatitis and other skin inflammatory diseases, diabetes, multiple sclerosis, systemic lupus erythematosus (SLE), inflammatory bowel disease including ulcerative

colitis and Crohn's disease, and other diseases involving leukocyte infiltration of the gastrointestinal tract, or other epithelial lined tissues, such as skin, urinary tract, respiratory airway, and joint synovium.

N-(tert-butoxycarbonyl)-O-(trifluoromethanesulfonyl)-L-tyrosine Me ester (prepn. given) was coupled with 2-methoxybenzene boronic acid in toluene/DMF in the presence of K<sub>2</sub>CO<sub>3</sub> and Pd(PPh<sub>3</sub>)<sub>4</sub> at 80 .degree.C for 24 h to give N-(tert-butoxycarbonyl)-4-(2-methoxyphenyl)-L-phenylalanine Me ester. The latter compd. was treated with CF<sub>3</sub>CO<sub>2</sub>H in CH<sub>2</sub>Cl<sub>2</sub> for 1.5 h to remove the Boc group and then condensed with 2,6-dichlorobenzoyl chloride in the presence of diisopropylethylamine at room temp. for 24 h to give N-(2,6-dichlorobenzoyl)-4-(2-methoxyphenyl)-L-phenylalanine Me ester (II) which was sapond. with LiOH in THF/MeOH at room temp. for 3 h, evapd., treated with H<sub>2</sub>O, adjusted Ph 2, and extd. with EtOAc to give N-(2,6-dichlorobenzoyl)-4-(2-methoxyphenyl)-L-phenylalanine (III). II


and III in vitro inhibited at IC<sub>50</sub> of 1.gtoreq. and 0.3.gtoreq. .mu.M, resp., .beta.7-mediated cell adhesion which measured the adhesive interactions

of a B-cell line, RPMI, known to express .alpha.4.beta.7, to the alternatively spliced region of fibronectin referred to as CS-1, in the presence of test compds.

IT **232275-27-3P**  
 RL: BAC (Biological activity or effector, except adverse); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (prepn. of N-acyl-phenylalanine derivs. as inhibitors of .alpha.4-mediated cell adhesion for prevention and treatment of diseases caused by .alpha.4-mediated cell adhesion)

RN 232275-27-3 CAPLUS  
 CN [1,1'-Biphenyl]-4-propanoic acid,  
 .alpha.-[(2,6-dichlorobenzoyl)amino]-4'-  
 [(2,5-dioxo-1-pyrrolidinyl)methyl]-2',6'-dimethoxy-, (.alpha.S)- (9CI)  
 (CA INDEX NAME)

Absolute stereochemistry.




IT 232277-11-1P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation)  
(prepn. of N-acyl-phenylalanine derivs. as inhibitors of  
.alpha.4-mediated cell adhesion for prevention and treatment of  
diseases caused by .alpha.4-mediated cell adhesion)

RN 232277-11-1 CAPLUS

CN [1,1'-Biphenyl]-4-propanoic acid,  
.alpha.-[(2,6-dichlorobenzoyl)amino]-4'-  
[(2,5-dioxo-1-pyrrolidinyl)methyl]-2',6'-dimethoxy-, 1,1-dimethylethyl  
ester, (.alpha.S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



REFERENCE COUNT:

4

REFERENCE(S):

- (1) Anon; 1966, 10
- (2) Biogen; WO 9622966 A 1996 CAPLUS
- (3) Hoffmann-La Roche, F; WO 9910312 A 1999 CAPLUS
- (4) Sokolov, S; Zh Organ Khim 1966, V2(6), P1088  
CAPLUS

L8 ANSWER 6 OF 14 CAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER: 1999:205318 CAPLUS

DOCUMENT NUMBER: 130:267212

TITLE: Biphenyl-derived substituted cycloalkanecarboxylic  
acid derivatives and analogs as matrix

metalloprotease

inhibitors

INVENTOR(S):

Kluender, Harold Clinton Eugene; Bullock, William  
Harrison; Dixon, Brian Richard; Schneider, Stephan;



PATENT ASSIGNEE(S):  
SOURCE:

McClelland; Wolanin, Donald John  
Bayer Corporation, USA  
U.S., 102 pp., Cont. of U.S. Ser. No. 463,471,  
abandoned.  
CODEN: USXXAM

DOCUMENT TYPE:  
LANGUAGE:  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

Patent  
English

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 5886022	A	19990323	US 1997-866568	19970530
PRIORITY APPLN. INFO.:			US 1995-463471	19950605
OTHER SOURCE(S):	MARPAT 130:267212			
GI				



AB The invention discloses inhibitors for matrix metalloproteases (MMPs), **pharmaceutical** compns. contg. the inhibitors, and a process for using them to treat a variety of physiol. conditions. The claimed compds.

have the generalized formula I [wherein each T = halo, alk(en/yn)yl, (CH<sub>2</sub>)<sub>p</sub>Q, etc.; Q = aryl, heteroaryl, cyano, CHO, NO<sub>2</sub>, etc.; p = 0-4; q = 0-2; D = CO, CH(OH), C:NOH, C:S; n = 2 or 3; R = alk(en/yn)yl, aralk(en/yn)yl; G = CO<sub>2</sub>H, alkoxy carbonyl, (di)alkyl carbamoyl, or amino acid residues bound at N via a CO linker; m = 0-2]. Approx. 250 compds. including both I and many acyclic carboxylic acid analogs were prepd.

For

instance, Friedel-Crafts acylation of 4-chlorobiphenyl by 1-cyclopentene-1,2-dicarboxylic anhydride, followed by lithiation/reprotonation to effect double-bond isomerization, and Michael addn. of thiophenol to the double bond, gave 2 diastereomers of title compd. II. The trans,trans isomer of II was the most active

diastereomer,

with IC<sub>50</sub> values as follows: MMP-3 14-47 nM, MMP-9 56 nM, and MMP-2 4 nM.


IT **179546-35-1P**, .alpha.-[2-(4'-Chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl]-1,3-dihydro-1,3-dioxo-2H-isoindole-2-pentanoic acid  
**179546-41-9P**

RL: BAC (Biological activity or effector, except adverse); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(prepn. of biphenyl-contg. substituted cycloalkanecarboxylic acid derivs. and acyclic analogs as matrix metalloprotease inhibitors)

RN 179546-35-1 CAPLUS


.alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-  
2-oxoethyl]-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX NAME)



RN 179546-41-9 CAPLUS

CN 2H-Isoindole-2-butanoic acid,

.alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl]-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX NAME)



REFERENCE COUNT:

32

REFERENCE(S):

- (1) Anon; BE 667498 1965 CAPLUS
- (3) Anon; GB 1565616 1980 CAPLUS
- (4) Anon; DE 2854475 1980 CAPLUS
- (5) Anon; FR 2503140 1982 CAPLUS
- (6) Anon; JP 60209539 1985 CAPLUS

ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 7 OF 14 CAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER: 1998:534889 CAPLUS

DOCUMENT NUMBER: 129:161412

TITLE: Derivatives of substituted 4-biarylbutyric acid as matrix metalloprotease inhibitors

INVENTOR(S): Kluender, Harold Clinton Eugene; Benz, Guenter Hans  
Heinz Herbert; Brittelli, David Ross; Bullock,

William

Harrison; Combs, Kerry Jeanne; Dixon, Brian Richard;  
Schneider, Stephan; Wood, Jill Elizabeth; Vanzandt,  
Michael Christopher; Wolanin, Donald John; Wilhelm,  
Scott M.

PATENT ASSIGNEE(S): Bayer Corporation, USA

SOURCE: U.S., 109 pp. Cont.-in-part of U.S. Ser. No. 339,846.  
CODEN: USXXAM

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 5789434	A	19980804	US 1995-539409	19951106
CA 2201863	AA	19960523	CA 1995-2201863	19951109
CN 1163604	A	19971029	CN 1995-196209	19951109
HU 78083	A2	19990830	HU 1998-233	19951109
US 5874473	A	19990223	US 1997-864666	19970528
US 5886024	A	19990323	US 1997-865325	19970528
US 5854277	A	19981229	US 1997-865639	19970530
US 5859047	A	19990112	US 1997-866798	19970530


US 5861428	A	19990119	US 1997-866880	19970530
US 5886043	A	19990323	US 1997-866778	19970530
US 6166082	A	20001226	US 1998-57679	19980409

PRIORITY APPLN. INFO.:

US 1994-339846	A2	19941115
US 1995-462729	B1	19950605
US 1995-463490	B1	19950605
US 1995-463580	B1	19950605
US 1995-463794	B1	19950605
US 1995-464253	B1	19950605
US 1995-465626	B1	19950605
US 1995-539409	A1	19951106

OTHER SOURCE(S):                    MARPAT 129:161412

GI



AB Matrix metalloprotease (MMP) inhibitors TxA-B-D-E-G [I; T = halo, haloalkyl, alkynyl, (un)substituted alkyl or alkenyl; x = 0, 1, 2; A, B = arom. or heteroarom. ring; D = CO, CH(OH), CH<sub>2</sub>, C:NOH, C(S); E = substituted carbon chain; G = PO<sub>3</sub>H<sub>2</sub>, CO<sub>2</sub>H, CO<sub>2</sub>NH<sub>2</sub>, 5-tetrazolyl, etc.]

and

their **pharmaceutically** acceptable salts were prepd. In particular, I [A = C<sub>6</sub>H<sub>4</sub>; B = 1,4-C<sub>6</sub>H<sub>4</sub>; E = certain substituted THF, tetrahydrothiophene, or pyrrolidine divalent radicals] with MMP inhibitory

activity, and their **pharmaceutically** acceptable salts, are claimed. For instance, claimed title compd. II was prepd. from L-pyroglutaminol in 9 steps. The synthesized compds. (444) were assayed for inhibition of MMP-3, MMP-9, and MMP-2. For instance, II had corresponding IC<sub>50</sub> values of 103, 381, and 35 nM. I inhibited tumor growth and metastasis in animal models, and inhibited cartilage lesions

in

a guinea pig model of osteoarthritis.

IT 179548-41-5P 179549-09-8P 179549-16-7P

179549-17-8P 179549-18-9P 179549-19-0P

179549-20-3P 188675-85-6P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation) (intermediate; prepn. of substituted biarylbutyric or biarylpentanoic acids and derivs. as matrix metalloprotease inhibitors)

RN 179548-41-5 CAPLUS

CN Propanedioic acid, [2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl][2-(1,3-dihydro-1,3-dioxo-2H-isoindol-2-yl)ethyl]-, di-2-propenyl ester (9CI)

(CA

INDEX NAME)



RN 179549-09-8 CAPLUS


CN 2H-Isoindole-2-butanoic acid,

.alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-

oxoethyl]-1,3-dihydro-1,3-dioxo-, 1,1-dimethylethyl ester (9CI) (CA


INDEX

NAME)




RN 179549-16-7 CAPLUS

CN Propanedioic acid, [2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl][2-[1,3-dihydro-1,3-dioxo-5-(phenylmethoxy)-2H-isoindol-2-yl]ethyl]-, bis(1,1-dimethylethyl) ester (9CI) (CA INDEX NAME)




RN 179549-17-8 CAPLUS

CN Propanedioic acid, [2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl][2-(1,3-dihydro-5-methoxy-1,3-dioxo-2H-isoindol-2-yl)ethyl]-, bis(1,1-dimethylethyl) ester (9CI) (CA INDEX NAME)






CN Propanedioic acid, [2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl][2-(1,3-dihydro-5-hydroxy-1,3-dioxo-2H-isoindol-2-yl)ethyl]-, bis(1,1-dimethylethyl) ester (9CI) (CA INDEX NAME)




RN 179549-19-0 CAPLUS

CN Propanedioic acid, [2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl][2-[1,3-dihydro-1,3-dioxo-5-[(2-thienylcarbonyl)oxy]-2H-isoindol-2-yl]ethyl]-, bis(1,1-dimethylethyl) ester (9CI) (CA INDEX NAME)




RN 179549-20-3 CAPLUS

CN Propanedioic acid, [2-[5-(acetyloxy)-1,3-dihydro-1,3-dioxo-2H-isoindol-2-yl]ethyl][2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl]-, bis(1,1-dimethylethyl) ester (9CI) (CA INDEX NAME)



RN 188675-85-6 CAPLUS

CN Propanedioic acid, [2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl][2-(1,3-dihydro-1,3-dioxo-2H-isoindol-2-yl)ethyl]- (9CI) (CA INDEX NAME)



IT 179546-41-9P 179546-42-0P


(Purification or recovery); RCI (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(prepn. of substituted biarylbutyric or biarylpentanoic acids and derivs. as matrix metalloprotease inhibitors)

RN 179546-41-9 CAPLUS

CN 2H-Isoindole-2-butanoic acid,

.alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl]-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX NAME)




RN 179546-42-0 CAPLUS

CN 2H-Isoindole-2-butanoic acid,

.alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl]-1,3-dihydro-1,3-dioxo-, (.alpha.S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



IT 179546-43-1P

RL: BAC (Biological activity or effector, except adverse); PUR (Purification or recovery); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)


(prepn. of substituted biarylbutyric or biarylpentanoic acids and derivs. as matrix metalloprotease inhibitors)

RN 179546-43-1 CAPLUS

CN 2H-Isoindole-2-butanoic acid,

.alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl]-1,3-dihydro-1,3-dioxo-, (.alpha.R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



IT 179546-35-1P 179546-44-2P 179546-45-3P


179547-44-5P 179547-45-6P 179547-46-7P  
 179547-47-8P 179547-48-9P 179547-50-3P  
 179547-51-4P 179547-52-5P 179547-53-6P  
 179547-54-7P 179547-55-8P 179547-56-9P  
 179547-58-1P 179547-59-2P 179547-60-5P  
 179547-61-6P 179547-62-7P 179547-63-8P  
 179547-64-9P 179547-68-3P 179547-70-7P

RL: BAC (Biological activity or effector, except adverse); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(prepn. of substituted biarylbutyric or biarylpentanoic acids and derivs. as matrix metalloprotease inhibitors)


RN 179546-35-1 CAPLUS

CN 2H-Isoindole-2-pentanoic acid,  
 .alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-  
 2-oxoethyl]-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX NAME)




RN 179546-44-2 CAPLUS

CN 2H-Isoindole-2-butanoic acid,  
 .alpha.-[2-(4'-bromo[1,1'-biphenyl]-4-yl)-2-  
 oxoethyl]-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX NAME)




RN 179546-45-3 CAPLUS


CN 2H-Isoindole-2-butanoic acid, 1,3-dihydro-1,3-dioxo-.alpha.-[2-oxo-2-[4'-(phenylmethoxy)[1,1'-biphenyl]-4-yl]ethyl]- (9CI) (CA INDEX NAME)



RN 179546-46-4 CAPLUS

CN 2H-Isoindole-2-butanoic acid, 1,3-dihydro-1,3-dioxo-.alpha.-[2-oxo-2-[4'-(pentyloxy)[1,1'-biphenyl]-4-yl]ethyl]- (9CI) (CA INDEX NAME)






RN 179546-47-5 CAPLUS

CN 2H-Isoindole-2-butanoic acid,

.alpha.-[2-(4'-ethoxy[1,1'-biphenyl]-4-yl)-2-

oxoethyl]-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX NAME)




RN 179546-48-6 CAPLUS

CN 2H-Isoindole-2-propanoic acid,

.alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-

2-oxoethyl]-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX NAME)




RN 179547-44-5 CAPLUS

CN 2H-Isoindole-2-butanoic acid,

.alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-

oxoethyl]-1,3-dihydro-1,3-dioxo-5-(phenylmethoxy)- (9CI) (CA INDEX NAME)




RN 179547-45-6 CAPLUS

CN 2H-Isoindole-2-butanoic acid,


.alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-

oxoethyl]-1,3-dihydro-1,3-dioxo-5-propoxy- (9CI) (CA INDEX NAME)



RN 179547-46-7 CAPLUS

.alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl]-1,3-dihydro-1,3-dioxo-4-(phenylmethoxy)- (9CI) (CA INDEX NAME)




RN 179547-47-8 CAPLUS

CN 2H-Isoindole-2-butanoic acid,

5-amino-.alpha.-[2-(4'-chloro[1,1'-biphenyl]-

4-yl)-2-oxoethyl]-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX NAME)




RN 179547-48-9 CAPLUS

CN 2H-Benz[f]isoindole-2-butanoic acid,


.alpha.-[2-(4'-chloro[1,1'-biphenyl]-

4-yl)-2-oxoethyl]-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX NAME)




RN 179547-50-3 CAPLUS


CN 1-Pyrrolidinebutanoic acid, .alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl]-2,5-dioxo- (9CI) (CA INDEX NAME)




PAGE 2-A




RN 179547-51-4 CAPLUS  
 CN 1-Pyrrolidinebutanoic acid, .alpha.-[2-(4'-ethoxy[1,1'-biphenyl]-4-yl)-2-oxoethyl]-2,5-dioxo- (9CI) (CA INDEX NAME)




PAGE 2-A




RN 179547-52-5 CAPLUS  
 CN 2H-Isoindole-2-butanoic acid,  
 .alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-  
 oxoethyl]-1,3,3a,4,7,7a-hexahydro-1,3-dioxo- (9CI) (CA INDEX NAME)




RN 179547-53-6 CAPLUS  
 CN 2H-Isoindole-2-butanoic acid,  
 .alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-  
 oxoethyl]-5-(1,1-dimethylethyl)-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX  
 NAME)




RN 179547-55-8  
 CN 2H-Isoindole-2-butanoic acid, 5,6-dichloro-.alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl]-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX NAME)




RN 179547-55-8 CAPLUS  
 CN 2H-Isoindole-2-butanoic acid,  
 .alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl]-1,3-dihydro-5-methyl-1,3-dioxo- (9CI) (CA INDEX NAME)



RN 179547-56-9 CAPLUS  
 CN 2H-Pyrrolo[3,4-c]pyridine-2-butanoic acid, .alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl]-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX NAME)




RN 179547-58-1 CAPLUS  
 CN 6H-1,3-Dioxolo[4,5-f]isoindole-6-butanoic acid,  
 .alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl]-5,7-dihydro-5,7-dioxo- (9CI) (CA INDEX NAME)



RN 179547-59-2 CAPLUS  
 CN 2H-Isoindole-2-butanoic acid,  
 .alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl]-1,3-dihydro-5-hydroxy-1,3-dioxo- (9CI) (CA INDEX NAME)





RN 179547-60-5 CAPLUS  
 CN 2H-Isoindole-2-butanoic acid,  
 .alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-  
 oxoethyl]-1,3-dihydro-4-hydroxy-1,3-dioxo- (9CI) (CA INDEX NAME)

u

=> d 18 8-14 ibib abs hitstr

L8 ANSWER 8 OF 14 CAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER: 1998:352815 CAPLUS

DOCUMENT NUMBER: 129:27819

TITLE: Substituted 4-biphenyl-4-hydroxybutyric acid  
 derivatives as matrix metalloprotease inhibitors

INVENTOR(S): Kluender, Harold C. E.; Bjorge, Susan M.; Zadjura,  
 Lisa Marie; Brubaker, William Frederick

PATENT ASSIGNEE(S): Bayer Corp., USA

SOURCE: PCT Int. Appl., 47 pp.

CODEN: PIXXD2


DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9822436	A1	19980528	WO 1997-US19960	19971030
W:	AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG			
AU 9851024	A1	19980610	AU 1998-51024	19971030
AU 731830	B2	20010405		
EP 937036	A1	19990825	EP 1997-945585	19971030
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI			
BR 9712707	A	19991026	BR 1997-12707	19971030
CN 1241177	A	20000112	CN 1997-180910	19971030
JP 2001505877	T2	20010508	JP 1998-523677	19971030
NO 9901994	A	19990615	NO 1999-1994	19990427
PRIORITY APPLN. INFO.:			US 1996-30264 P	19961031
			WO 1997-US19960 W	19971030
OTHER SOURCE(S):	MARPAT 129:27819			
GI				



I

AB The title compds. I (T = **pharmaceutically** acceptable substituent group; p = 0-2; m = 0-4; n = 0, 1; A = CH<sub>2</sub>, CH, N; G = CH<sub>2</sub>, CH; R<sub>1</sub> = substituent group; A and G may be joined), matrix metalloprotease inhibitors, were prepd. E.g., (S)-4-[4-(4-chlorophenyl)phenyl]-4-oxo-2-(phenylthiomethyl)butanoic acid was reduced with NaBH<sub>4</sub> to give (2S,4R)- and (2S,4S)-4-[4-(4-chlorophenyl)phenyl]-4-hydroxy-2-(phenylthiomethyl)butanoic acids.


IT 208049-74-5P

RL: BAC (Biological activity or effector, except adverse); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(prepn. of biphenylhydroxybutyric acid derivs. as matrix metalloprotease inhibitors)

RN 208049-74-5 CAPLUS

CN 2H-Isoindole-2-butanoic acid,  
 .alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-hydroxyethyl]-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX NAME)



L8 ANSWER 9 OF 14 CAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER: 1996:476807 CAPLUS

DOCUMENT NUMBER: 125:142275

TITLE: Substituted 4-biarylbutyric or 5-biarylpentanoic acids

and derivatives as matrix metalloprotease inhibitors  
 INVENTOR(S): Kluender, Harold Clinton Eugene; Benz, Guenter Hans  
 Heinz Herbert; Brittelli, David Ross; Bullock,  
 William

Harrison; Combs, Kerry Jeanne; Dixon, Brian Richard;  
 Schneider, Stephan; Wood, Jill Elizabeth; Vanzandt,  
 Michael Christopher; et al.

PATENT ASSIGNEE(S): Bayer A.-G., USA

SOURCE: PCT Int. Appl., 263 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9615096	A1	19960523	WO 1995-US14002	19951109
W: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM				

IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR,  
NE, SN, TD, TG

CA 2201863	AA	19960523	CA 1995-2201863	19951109
AU 9641975	A1	19960606	AU 1996-41975	19951109
AU 702317	B2	19990218		
EP 790974	A1	19970827	EP 1995-940572	19951109

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT,  
SE

BR 9509686	A	19970930	BR 1995-9686	19951109
CN 1163604	A	19971029	CN 1995-196209	19951109
JP 10509146	T2	19980908	JP 1995-516097	19951109
HU 78083	A2	19990830	HU 1998-233	19951109
FI 9702062	A	19970714	FI 1997-2062	19970514
NO 9702220	A	19970714	NO 1997-2220	19970514
US 5874473	A	19990223	US 1997-864666	19970528
US 5886024	A	19990323	US 1997-865325	19970528
US 5854277	A	19981229	US 1997-865639	19970530
US 5859047	A	19990112	US 1997-866798	19970530
US 5861427	A	19990119	US 1997-866679	19970530
US 5861428	A	19990119	US 1997-866680	19970530
US 5886043	A	19990323	US 1997-866778	19970530

PRIORITY APPLN. INFO.:

	US 1994-339846	A	19941115
	US 1995-462729	B1	19950605
	US 1995-463490	B1	19950605
	US 1995-463580	B1	19950605
	US 1995-463794	B1	19950605
	US 1995-464253	B1	19950605
	US 1995-465626	B1	19950605
	WO 1995-US14002	W	19951109

OTHER SOURCE(S): MARPAT 125:142275


AB Matrix metalloprotease inhibitors TxA-B-D-E-G [Tx = substituent such as halo, C1-C10 alkyl, or cyanoalkenyl; x = 0, 1, 2; A, B = arom. or heteroarom. ring; D = CO, CH(OH), CH<sub>2</sub>, C:NOH, C(S); E = substituted carbon chain; G = PO<sub>3</sub>H<sub>2</sub>, CO<sub>2</sub>H, CO<sub>2</sub>NH<sub>2</sub>, etc.] and their **pharmaceutically** acceptable salts were prepd. Thus,

(S)-.gamma.-oxo-4'-(pentyloxy)-.alpha.-(3-phenylpropyl)-[1,1'-biphenyl]-4-butanoic acid (86) was prepd. via alkylation of di-Et (3-phenylpropyl)malonate with 2,4'-dibromoacetophenone, followed by sapon.-monodecarboxylation, reaction with 4-methoxybenzeneboronic acid, Me ether cleavage, and O-pentylation. The synthesized compds. (444) were assayed for inhibition of MMP-3, MMP-9, and MMP-2. Using compds. such as 86, the no. of tumor metastases was decreased between 38 and 49% as compared to the control. The title compds. were also assayed for inhibition of cartilage lesions in a guinea pig model of osteoarthritis.

IT **179546-41-9P**  
RL: BAC (Biological activity or effector, except adverse); THU (Therapeutic use); PUR (Purification or recovery); RCT (Reactant); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation);

USES (Uses)  
(prepn. of substituted biarylbutyric or biarylpentanoic acids and derivs. as matrix metalloprotease inhibitors)

RN 179546-41-9 CAPLUS  
CN 2H-Isoindole-2-butanoic acid,  
.alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl]-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX NAME)



IT 179546-42-0P


RL: BAC (Biological activity or effector, except adverse); THU  
(Therapeutic use); RCT (Reactant); SPN (Synthetic preparation); PUR  
(Purification or recovery); BIOL (Biological study); PREP (Preparation);  
USES (Uses)

(prepn. of substituted biarylbutyric or biarylpentanoic acids and  
derivs. as matrix metalloprotease inhibitors)

RN 179546-42-0 CAPLUS

CN 2H-Isoindole-2-butanoic acid,  
.alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-  
oxoethyl]-1,3-dihydro-1,3-dioxo-, (.alpha.S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



IT 179546-35-1P 179546-44-2P 179546-45-3P

179546-46-4P 179546-47-5P 179546-48-6P

179547-44-5P 179547-45-6P 179547-46-7P

179547-47-8P 179547-48-9P 179547-50-3P

179547-51-4P 179547-52-5P 179547-53-6P

179547-54-7P 179547-55-8P 179547-56-9P

179547-58-1P 179547-59-2P 179547-60-5P

179547-61-6P 179547-62-7P 179547-63-8P


179547-64-9P 179547-68-3P 179547-70-7P

RL: BAC (Biological activity or effector, except adverse); THU  
(Therapeutic use); SPN (Synthetic preparation); BIOL (Biological study);  
PREP (Preparation); USES (Uses)

(prepn. of substituted biarylbutyric or biarylpentanoic acids and  
derivs. as matrix metalloprotease inhibitors)


RN 179546-35-1 CAPLUS

CN 2H-Isoindole-2-pentanoic acid,  
.alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-  
oxoethyl]-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX NAME)




RN 179546-44-2 CAPLUS

CN 2H-Isoindole-2-butanoic acid,  
.alpha.-[2-(4'-bromo[1,1'-biphenyl]-4-yl)-2-




RN 179546-45-3 CAPLUS

CN 2H-Isoindole-2-butanoic acid, 1,3-dihydro-1,3-dioxo-.alpha.-[2-oxo-2-[4'-(phenylmethoxy)[1,1'-biphenyl]-4-yl]ethyl]- (9CI) (CA INDEX NAME)




RN 179546-46-4 CAPLUS

CN 2H-Isoindole-2-butanoic acid, 1,3-dihydro-1,3-dioxo-.alpha.-[2-oxo-2-[4'-(pentyloxy)[1,1'-biphenyl]-4-yl]ethyl]- (9CI) (CA INDEX NAME)




RN 179546-47-5 CAPLUS

CN 2H-Isoindole-2-butanoic acid, .alpha.-[2-(4'-ethoxy[1,1'-biphenyl]-4-yl)-2-oxoethyl]-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX NAME)




RN 179546-48-6 CAPLUS


CN 2H-Isoindole-2-propanoic acid, .alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl]-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX NAME)




CN 2H-Isoindole-2-butanoic acid,  
.alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-  
oxoethyl]-1,3-dihydro-1,3-dioxo-5-(phenylmethoxy)- (9CI) (CA INDEX NAME)




RN 179547-45-6 CAPLUS  
CN 2H-Isoindole-2-butanoic acid,  
.alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-  
oxoethyl]-1,3-dihydro-1,3-dioxo-5-propoxy- (9CI) (CA INDEX NAME)




RN 179547-46-7 CAPLUS  
CN 2H-Isoindole-2-butanoic acid,  
.alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-  
oxoethyl]-1,3-dihydro-1,3-dioxo-4-(phenylmethoxy)- (9CI) (CA INDEX NAME)



RN 179547-47-8 CAPLUS  
CN 2H-Isoindole-2-butanoic acid,  
5-amino-.alpha.-[2-(4'-chloro[1,1'-biphenyl]-  
4-yl)-2-oxoethyl]-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX NAME)




RN 179547-48-9 CAPLUS  
CN 2H-Benz[f]isoindole-2-butanoic acid,  
.alpha.-[2-(4'-chloro[1,1'-biphenyl]-  
4-yl)-2-oxoethyl]-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX NAME)




RN 179547-50-3 CAPLUS  
 CN 1-Pyrrolidinebutanoic acid, .alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl]-2,5-dioxo- (9CI) (CA INDEX NAME)


PAGE 1-A




PAGE 2-A




RN 179547-51-4 CAPLUS  
 CN 1-Pyrrolidinebutanoic acid, .alpha.-[2-(4'-ethoxy[1,1'-biphenyl]-4-yl)-2-oxoethyl]-2,5-dioxo- (9CI) (CA INDEX NAME)




PAGE 2-A



RN 179547-52-5 CAPLUS  
 CN 2H-Isoindole-2-butanoic acid,  
 .alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-  
 oxoethyl]-1,3,3a,4,7,7a-hexahydro-1,3-dioxo- (9CI) (CA INDEX NAME)



RN 179547-53-6 CAPLUS  
 CN 2H-Isoindole-2-butanoic acid,  
 .alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-  
 oxoethyl]-5-(1,1-dimethylethyl)-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX  
 NAME)





RN 179347 34 7 CAPLUS  
 CN 2H-Isoindole-2-butanoic acid, 5,6-dichloro-.alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl]-1,3-dihydro-1,3-dioxo- (9CI) (CA INDEX NAME)

u  
 => d 18 10-14 ibib abs hitstr

L8 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER: 1995:607987 CAPLUS

DOCUMENT NUMBER: 123:286034

TITLE: Substituted triazolinones, triazolinethiones, and triazolinimines as angiotensin II antagonists

INVENTOR(S): Ashton, Wallace T.; Chang, Linda L.; MacCoss, Malcolm;

Chakravarty, Prasun K.; Greenlee, William J.; Patchett, Arthur A.; Flanagan, Kelly

PATENT ASSIGNEE(S): Merck and Co., Inc., USA

SOURCE: U.S., 90 pp. Cont.-in-part of U.S. Ser. No. 899,868, abandoned.

CODEN: USXXAM

DOCUMENT TYPE: Patent

LANGUAGE: English


FAMILY ACC. NUM. COUNT: 3

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 5411980	A	19950502	US 1992-994228	19921221
ZA 9204916	A	19930331	ZA 1992-4916	19920702
PRIORITY APPLN. INFO.:			US 1989-386328	19890728
			US 1990-504507	19900404
			US 1991-725720	19910703
			US 1991-812891	19911220
			US 1992-899868	19921217

OTHER SOURCE(S): MARPAT 123:286034

GI



I

AB There are disclosed new substituted triazolinone compds. I [R2a = H, halo;

R2b = H, halo, C1-4-alkyl; R3a = H, halo; R3b = H, halo, C1-4-alkyl; E is a single bond; R6 = (un)substituted C1-6-alkyl; R23 = e.g., (un)substituted Ph, branched C3-7-alkyl, C3-7-cycloalkyl; V1 = H, Me,

CF3,

halogen, with the proviso that  
NR10R21; R10 = H, Cl-4-alkyl; R21 = H or R22; R22 = e.g., Cl-6-alkyl,  
C3-7-cycloalkyl; aryl] which are useful as angiotensin II antagonists.  
Thus, e.g., reaction of 4-bromomethyl-2'-(t-butoxycarbonyl)biphenyl with

K

phthalimide afforded 82% N-[[2'-(t-butoxycarbonyl)biphenyl-4-yl]methyl]phthalimide; hydrazinolysis afforded 88% 4-aminomethyl-2'-(t-butoxycarbonyl)biphenyl; reaction with CS<sub>2</sub>/MeI afforded 84% Me

of

the latter with hydrazine afforded 79%

4-[[2'-(t-butoxycarbonyl)biphenyl-4-

yl]methyl]-3-thiosemicarbazide; heterocyclization with tri-Me orthovalerate afforded 63%

4-[[2'-(t-butoxycarbonyl)biphenyl-4-yl]methyl]-

5-butyl-2,4-dihydro-3H-1,2,4-triazole-3-thione; removal of the t-Bu group with trifluoroacetic acid afforded the corresponding 2'-carboxy deriv. (21%). Representative compds. of the invention act as angiotensin II receptor antagonists with activity of at least IC<sub>50</sub> < 50 .mu.M.

Pharmaceutical formulations were given.


IT 133690-72-9P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation) (substituted triazolinones, triazolinethiones, and triazolinimines as angiotensin II antagonists)

RN 133690-72-9 CAPLUS

CN [1,1'-Biphenyl]-2-carboxylic acid,

4'-[(1,3-dihydro-1,3-dioxo-2H-isoindol-2-yl)methyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)



L8 ANSWER 11 OF 14 CAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER: 1995:470172 CAPLUS

DOCUMENT NUMBER: 122:239340

TITLE: Substituted amic acid derivatives useful for treatment

of arteriosclerosis

INVENTOR(S): Nomoto, Takashi; Masahiro, Hayashi; Shibata, Jun; Iwasawa, Yoshikazu; Mitsuya, Morihiro; Iida, Yoshiaki;

PATENT ASSIGNEE(S): Nonshita, Katsumasa; Nagata, Yasufumi  
Banyu Pharmaceutical Co., Ltd., Japan

SOURCE: Eur. Pat. Appl., 94 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 611749	A1	19940824	EP 1994-102059	19940210
EP 611749	B1	19971022		

SE

JP 07138214	A2	19950530	JP 1993-353833	19931228
AT 159514	E	19971115	AT 1994-102059	19940210
AU 9455046	A1	19940818	AU 1994-55046	19940211
US 5488149	A	19960130	US 1995-471081	19950606
US 5606101	A	19970225	US 1995-540329	19951006
US 5616803	A	19970401	US 1995-540628	19951006
US 5777150	A	19980707	US 1996-696152	19960813



PRIORITY APPLN. INFO.:

JP 1993-47364	19930212
JP 1993-261713	19930924
JP 1993-261714	19930924
US 1994-193850	19940209
US 1995-471081	19950606
US 1995-540329	19951006

OTHER SOURCE(S):

MARPAT 122:239340

GI



AB Over 100 title compds. I [Ar1, Ar2 = (hetero)aryl nucleus; A = C3-8 linear

(un)substituted (un)satd. aliph. hydrocarbon residue; Q = bond, CO2, OCO, CH2CH2, CH:CH, OCH2, SCH2, CH2O, CH2S; R1-R4 = H, halo, alkyl, OH,

alkoxy,

(un)substituted (hetero)aryl; R5-R7 = H, alkyl; R8 = H, alkyl, alkenyl, alkynyl, aralkyl; R1R2Ar1 and R3R4Ar2 .noteq. 4-ClC6H4 simultaneously

when

Q = bond] were prepd. I and their **pharmaceutically** acceptable salts and esters are inhibitors of squalene synthase, and are thus expected to be useful for treatment and/or prophylaxis of hypercholesterolemia, hyperlipemia, arteriosclerosis, and fungal infections. For example, tert-Bu 2-(3,4-dichlorobenzyl)acetoacetate was reduced by LiBH(Bu-sec)3 in THF at -70.degree. to give the (2RS,3RS) alc. (33%), which underwent further redn. to a 1,3-diol (90%), partial O-silylation (62%), Mitsunobu reaction of the unprotected secondary alc. with phthalimide (53%), desilylation (47%), oxidn. of the primary alc. to an aldehyde (73%), Wittig reaction with

(2-naphthylmethyl)triphenylphospho

nium chloride (75%), and hydrazinolysis of the imide (68%) to give the amine (1RS,2RS,3E)-2-(3,4-dichlorobenzyl)-1-methyl-4-(2-naphthyl)-3-

anhydride in THF in the presence of (iso-Pr)<sub>2</sub>NEt gave 58% amic acid (1RS,2RS,3E)-III. The IC<sub>50</sub> of III for inhibition of human microsomal squalene synthase in vitro was 1.7 nM.

IT 162038-08-6P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation)  
(prepn. of substituted amic acid derivs. as squalene synthase inhibitors)

RN 162038-08-6 CAPLUS

CN 1H-Isoindole-1,3(2H)-dione,

2-[2-[1,1'-biphenyl]-4-yl-3-(4-chlorophenyl)-1-methylpropyl]-, (R\*,R\*)- (9CI) (CA INDEX NAME)

Relative stereochemistry.



L8 ANSWER 12 OF 14 CAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER: 1989:477643 CAPLUS

DOCUMENT NUMBER: 111:77643

TITLE: Preparation of new phenylethanolamines and  
**pharmaceuticals** containing them

INVENTOR(S): Hurnaus, Rudolf; Reiffen, Manfred; Sauter, Robert;  
Grell, Wolfgang; Rupprecht, Eckhard

PATENT ASSIGNEE(S): Thomae, Dr. Karl, G.m.b.H., Fed. Rep. Ger.

SOURCE: Ger. Offen., 26 pp.

CODEN: GWXXBX


DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 3718638	A1	19881222	DE 1987-3718638	19870604
WO 9006299	A1	19900614	WO 1988-EP1083	19881129
W: AU, DK, JP, KR, US				
RW: AT, BE, CH, DE, FR, GB, IT, LU, NL, SE				
AU 8826115	A1	19900626	AU 1988-26115	19881129
AU 617139	B2	19911121		
EP 375791	A1	19900704	EP 1988-119850	19881129
R: ES, GR				
EP 400011	A1	19901205	EP 1989-900024	19881129
EP 400011	B1	19940126		
R: AT, BE, CH, DE, FR, GB, IT, LI, LU, NL, SE				
JP 03503405	T2	19910801	JP 1989-500051	19881129
AT 100792	E	19940215	AT 1989-900024	19881129
CA 1325210	A1	19931214	CA 1988-584935	19881202
DK 9001619	A	19900705	DK 1990-1619	19900705
US 5232946	A	19930803	US 1990-572969	19900820
PRIORITY APPLN. INFO.:			DE 1987-3718638	19870604
			EP 1989-900024	19881129
			WO 1988-EP1083	19881129



AB The title compds. [I; A = C1-5 alkylene; B = bond, C1-2 alkylene, CO, CHOH; R1 = H, halo, CF3; R2 = H, NH2; R3 = H, cyano, Cl, Br; R4 = H, halo, alkyl, OH, (un)substituted alkoxy, etc.], their optical isomers, diastereomers, and salts, useful in treatment of diabetes mellitus, obesity, and for treatment and prophylaxis of atherosclerosis, were prepd.

by 7 methods. 4-PhC6H4CO2Et in CH2Cl2 was treated with AlCl3 and MeCHClCOCl in CH2Cl2 at 0.degree. and kept overnight at room temp. to give


4-(4-MeCHClCOC6H4)C6H4CO2Et which was refluxed 2 days with KOAc in Me2CO to give 4-[4-AcOCHMeCOC6H4]C6H4CO2Et. NaBH4 redn. and heating with polyphosphoric acid at 80.degree. gave 4-(4-MeCOCH2C6H4)C6H4CO2Et which was treated with 3-ClC6H4CH(OH)CH2NH2 in EtOH contg. NaBH3CN and AcOH at room temp. to give I (R1 = 3-Cl, R2 = R3 = H, A = CHMeCH2, B = bond, R4 = 4-CO2Et) (II). In mice 1 and 3 mg II/kg orally decreased blood sugar 37% and 49%, resp., vs. a control. A formulation for dragees comprised I (R1 = 3-Cl, R2 = R3 = H, A = CHMeCH2, B = CH2, R4 = 2-CO2Et) 10.0, lactose 69.0, corn starch 35.0, polyvinylpyrrolidone 5.0, and Mg stearate 1.0 mg.

IT 121804-25-9P 121804-26-0P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation) (prepn. and reaction of, in synthesis of **pharmaceutical** phenylethanolamine deriv.)


RN 121804-25-9 CAPLUS

CN 1H-Isoindole-1,3(2H)-dione, 2-(2-[1,1'-biphenyl]-4-yl-1-methylethyl)-(9CI) (CA INDEX NAME)



RN 121804-26-0 CAPLUS


CN 1H-Isoindole-1,3(2H)-dione, 2-[2-(4'-acetyl[1,1'-biphenyl]-4-yl)-1-methylethyl]- (9CI) (CA INDEX NAME)



DOCUMENT NUMBER: 104:88265  
 TITLE: (2-, 3- And 4-Biphenylyloxy)aminoalkanes and related compounds and their uses  
 INVENTOR(S): Nelson, Peter H.; Unger, Stefan H.; Dunn, James P.; Thieme, Thomas R.  
 PATENT ASSIGNEE(S): Syntex (U.S.A.), Inc., USA  
 SOURCE: Eur. Pat. Appl., 73 pp.  
 CODEN: EPXXDW  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 157652	A1	19851009	EP 1985-302406	19850404
R: AT, BE, CH, DE, FR, GB, IT, LI, LU, NL, SE				
US 4792570	A	19881220	US 1984-597790	19840406
JP 60231634	A2	19851118	JP 1985-73385	19850405
ES 550876	A1	19870701	ES 1986-550876	19860114
PRIORITY APPLN. INFO.:			US 1984-597282	19840406
			US 1984-597790	19840406

GI



AB Title compds. I [R, R1 = H, alkyl, halo, alkoxy, cycloalkyl, Ph; R2 = H, alkyl, cycloalkyl; R3 = H, alkyl, cycloalkyl, CH2CH2OH; R2R3 = (CH2)3-8, NR2R3 = morpholino, 1-piperazinyl with optional alkyl or hydroxyethyl substituent; n = 3-12; x = 0-3; y = 0-2], useful for treating inflammation, swelling and assocd. pain, and psoriasis, were prepd.

Thus,


Cl(CH2)6OH was tosylated and the tosylate was treated with 2-PhC6H4OH to give 2-PhC6H4O(CH2)6Cl (II). II was treated with K phthalimide to give the phthalimido deriv. which was treated with N2H4.H2O to give 2-PhC6H4O(CH2)6NH2 (III). II was aminated with Me2NH to give 2-PhC6H4O(CH2)6NMe2 (IV). IV inhibited inflammation by 33% in the croton oil-inflamed rat ear assay and cleared psoriatic lesions in 60% of cases tested by method of K. J. Dumas et al. (1972). Tablets (200 mg) were prepd. contg. III 25, corn starch 20, spray-dried lactose 153, and Mg stearate 2 mg.

IT 100444-47-1P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation) (prepn. and hydrazinolysis of)

RN 100444-47-1 CAPLUS


CN 1H-Isoindole-1,3(2H)-dione, 2-(6-[1,1'-biphenyl]-4-ylhexyl)- (9CI) (CA INDEX NAME)



L8 ANSWER 14 OF 14 CAPLUS  
 ACCESSION NUMBER: 1982:457122 CAPLUS  
 DOCUMENT NUMBER: 97:57122  
 TITLE: Biphenyl compounds and their use as intermediates in optical brighteners, dyes, plastics and pharmaceutical preparations  
 INVENTOR(S): Harnisch, Horst  
 PATENT ASSIGNEE(S): Bayer A.-G. , Fed. Rep. Ger.  
 SOURCE: Eur. Pat. Appl., 50 pp.  
 CODEN: EPXXDW  
 DOCUMENT TYPE: Patent  
 LANGUAGE: German  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 47877	A2	19820324	EP 1981-106467	19810820
EP 47877	A3	19820602		
EP 47877	B1	19850123		
R: CH, DE, FR, GB, IT				
DE 3048088	A1	19820715	DE 1980-3048088	19801219
US 4370486	A	19830125	US 1981-292868	19810814
JP 57077630	A2	19820515	JP 1981-135645	19810831
JP 02054334	B4	19901121		
PRIORITY APPLN. INFO.:			DE 1980-3033002	19800902
			DE 1980-3048088	19801219

GI



I

AB Title compds. (I; R = H, CH<sub>2</sub>R<sub>3</sub>, SO<sub>3</sub>H, C<sub>1</sub>-6 alkyl, CF<sub>3</sub>, cyclohexyl, C<sub>1</sub>-4 alkoxy, Cl, Br, F; R<sub>1</sub> = H, Me; R<sub>2</sub> = H, RR<sub>1</sub> = CH<sub>2</sub>CH<sub>2</sub>, SO<sub>2</sub>; R<sub>3</sub> = halogen .alpha.-substituted acetamido, propionamide, optionally substituted benzamido, phthalimido; R<sub>4</sub> = H, Me, SO<sub>3</sub>H; R<sub>5</sub> = H, Me, Cl, SO<sub>3</sub>H; with the proviso R<sub>3</sub> = halogen substituted acetoamido or propionamido or optionally substituted benzamido when no SO<sub>3</sub>H groups or SO<sub>2</sub> bridges are present) are prepd. Thus, biphenyl [92-52-4] in propionic acid contg. H<sub>2</sub>SO<sub>4</sub> was reacted with chloroacetamide [79-07-2] and paraformaldehyde [30525-89-4]


to give I (R = ClCH<sub>2</sub>CONHCH<sub>2</sub>; R<sub>1</sub> = R<sub>2</sub> = R<sub>4</sub> = R<sub>5</sub> = H; R<sub>3</sub> = ClCH<sub>2</sub>CONH) [82487-54-5]. Approx. 30 other I were prepd.


IT **82487-22-7P 82487-30-7P**

RL: IMF (Industrial manufacture); PREP (Preparation) (prepn. of)


RN 82487-22-7 CAPLUS

CN 1H-Isoindole-1,3(2H)-dione, 2,2'-[[1,1'-biphenyl]-4,4'-diylbis(methylene)]bis- (9CI) (CA INDEX NAME)





RN 82487-30-7 CAPLUS  
 CN 1H-Isoindole-1,3(2H)-dione, 2-[(4'-chloro-3'-methyl[1,1'-biphenyl]-4-yl)methyl]- (9CI) (CA INDEX NAME)



=> fil caold

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	88.97	222.68
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-11.17	-11.17

FILE 'CAOLD' ENTERED AT 17:06:17 ON 21 JUN 2001  
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
 COPYRIGHT (C) 2001 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1907-1966  
 FILE LAST UPDATED: 01 May 1997 (19970501/UP)

This file contains CAS Registry Numbers for easy and accurate substance identification. Title keywords, authors, patent assignees, and patent information, e.g., patent numbers, are now searchable from 1907-1966. TIFF images of CA abstracts printed between 1907-1966 are available in the PAGE display formats.

This file supports REGISTRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for more information.

=> s l3 full

L9 2 L3

=> d l9 1-2 ibib abs hitstr

'ABS' IS NOT A VALID FORMAT FOR FILE 'CAOLD'

The following are valid formats:

ALL ----- AN, TI, AU, PA, DT, IT, PI (default)  
 BIB ----- AN, TI, AU, PA, DT, PI  
 CAN ----- List of CA abstract numbers, no L-number headers



DALL ----- ALL, delimited (end of each field identified)  
IND ----- Indexing data  
MAX ----- Same as ALL  
SAM ----- TI, IT  
SCAN ----- TI, IT (random display, no answer numbers;  
SCAN must be entered on the same line as the DISPLAY,  
e.g., D SCAN or DISPLAY SCAN)  
STD ----- BIB

IALL ----- ALL, indented with text labels  
IBIB ----- BIB, indented with text labels  
ISTD ----- STD, indented with text labels

HIT ----- Fields containing hit terms  
HITIND -- IT  
HITRN --- HIT RN  
HITSTR -- HIT RN, its CA index name and its structure diagram  
FHITSTR - First HIT RN, its CA index name and its structure diagram  
OCC ----- Number of occurrence of hit term and file id in which it occurs

Index Terms (IT) are CAS Registry Numbers; Accession  
Numbers (AN) CA References.

Index Terms in CAOLD include only Registry Numbers; no  
subject terms are available. The same formats (except  
SAMPLE) may be used with the DISPLAY ACC command to display  
the record for a specified CAOLD Accession Number.

PAGE ----- Page Image of original Chemical Abstracts issue containing the  
abstract of the answer.  
PAGE.PREV and PAGE.NEXT will return the image of the page before or after  
the current answer.  
ENTER DISPLAY FORMAT (ALL):all

L9 ANSWER 1 OF 2 CAOLD COPYRIGHT 2001 ACS  
AN CA62:8968b CAOLD  
TI mechanism of the Gabriel-Colman rearrangement  
AU Hill, John H. M.  
IT 794-43-4 796-40-7 798-63-0 897-23-4 897-24-5 907-49-3  
970-56-9 973-11-5 980-09-6 1032-67-3 1039-78-7  
1909-25-7

L9 ANSWER 2 OF 2 CAOLD COPYRIGHT 2001 ACS  
AN CA54:24473g CAOLD  
TI aminomethylation of aromatic compds.  
AU Gornostaeva, S. E.; Kornev, K. A.  
IT 539-48-0 2457-28-5 3145-43-5 3145-44-6 4934-35-4 17564-64-6  
30391-55-0 31912-78-4 33891-01-9 82487-22-7 97705-28-7  
102876-36-8 103158-37-8 109937-36-2 111442-77-4 113135-69-6 118873-55-5  
119339-42-3 121622-79-5 122446-56-4 122725-28-4

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

CA SUBSCRIBER PRICE

SINCE

ENTRY

1.39

SESSION

224.07

SINCE FILE

ENTRY

0.00

TOTAL

SESSION

-11.17

STN INTERNATIONAL LOGOFF AT 17:06:36 ON 21 JUN 2001

Trying 3106016892...Open

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1613SXW

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\*\*\*\*\* Welcome to STN International \*\*\*\*\*

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America  
NEWS 2 Dec 17 The CA Lexicon available in the CAPLUS and CA files  
NEWS 3 Feb 06 Engineering Information Encompass files have new names  
NEWS 4 Feb 16 TOXLINE no longer being updated  
NEWS 5 Apr 23 Search Derwent WPINDEX by chemical structure  
NEWS 6 Apr 23 PRE-1967 REFERENCES NOW SEARCHABLE IN CAPLUS AND CA  
NEWS 7 May 07 DGENE Reload  
NEWS 8 Jun 20 Published patent applications (A1) are now in USPATFULL

NEWS EXPRESS May 23 CURRENT WINDOWS VERSION IS V6.0a,  
CURRENT MACINTOSH VERSION IS V5.0C (ENG) AND V5.0JB (JP),  
AND CURRENT DISCOVER FILE IS DATED 06 APRIL 2001

NEWS HOURS STN Operating Hours Plus Help Desk Availability  
NEWS INTER General Internet Information  
NEWS LOGIN Welcome Banner and News Items  
NEWS PHONE Direct Dial and Telecommunication Network Access to STN  
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

\*\*\*\*\* STN Columbus \*\*\*\*\*

FILE 'HOME' ENTERED AT 16:46:48 ON 21 JUN 2001

=> fil reg

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
0.45	0.45

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 16:48:17 ON 21 JUN 2001

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2001 American Chemical Society (ACS)

STRUCTURE FILE UPDATES: 20 JUN 2001 HIGHEST RN 342773-47-1  
DICTIONARY FILE UPDATES: 20 JUN 2001 HIGHEST RN 342773-47-1

TSCA INFORMATION NOW CURRENT THROUGH January 11, 2001

Structure search limits have been increased. See HELP SLIMIT for details.

=>


Uploading 09577789.str

L1 STRUCTURE UPLOADED

=> d

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1 sss sam

SAMPLE SEARCH INITIATED 16:48:57 FILE 'REGISTRY'  
SAMPLE SCREEN SEARCH COMPLETED - 2532 TO ITERATE

39.5% PROCESSED 1000 ITERATIONS 0 ANSWERS  
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)  
SEARCH TIME: 00.00.02

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
BATCH \*\*COMPLETE\*\*  
PROJECTED ITERATIONS: 47624 TO 53656  
PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=> s l1 full

FULL SEARCH INITIATED 16:49:05 FILE 'REGISTRY'  
FULL SCREEN SEARCH COMPLETED - 48719 TO ITERATE

100.0% PROCESSED 48719 ITERATIONS 2 ANSWERS  
SEARCH TIME: 00.00.06

L3 2 SEA SSS FUL L1

=> fil caplus

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	133.87	134.32

FILE 'CAPLUS' ENTERED AT 16:49:17 ON 21 JUN 2001

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

FILE COVERS 1947 - 21 Jun 2001 VOL 134 ISS 26  
FILE LAST UPDATED: 20 Jun 2001 (20010620/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

This file supports REGISTRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for more information.

CAPLUS now provides online access to patents and literature covered in CA from 1947 to the present. On April 22, 2001, bibliographic information and abstracts were added for over 2.2 million references published in CA from 1947 to 1966.

The CA Lexicon is now available in the Controlled Term (/CT) field. Enter HELP LEXICON for full details.

Attention, the CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

=> s 13 full

L4 2 L3

=> d 14 1-2 ibib abs hitstr

L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER: 1998:534889 CAPLUS

DOCUMENT NUMBER: 129:161412

TITLE: Derivatives of substituted 4-biarylbutyric acid as matrix metalloprotease inhibitors

INVENTOR(S): Kluender, Harold Clinton Eugene; Benz, Guenter Hans  
Heinz Herbert; Brittelli, David Ross; Bullock,  
William

Harrison; Combs, Kerry Jeanne; Dixon, Brian Richard;  
Schneider, Stephan; Wood, Jill Elizabeth; Vanzandt,  
Michael Christopher; Wolanin, Donald John; Wilhelm,  
Scott M.

PATENT ASSIGNEE(S): Bayer Corporation, USA

SOURCE: U.S., 109 pp. Cont.-in-part of U.S. Ser. No. 339,846.  
CODEN: USXXAM

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 5789434	A	19980804	US 1995-539409	19951106
CA 2201863	AA	19960523	CA 1995-2201863	19951109


HU 78083	A2	19990830	HU 1998-233	19951109
US 5874473	A	19990223	US 1997-864666	19970528
US 5886024	A	19990323	US 1997-865325	19970528
US 5854277	A	19981229	US 1997-865639	19970530
US 5859047	A	19990112	US 1997-866798	19970530
US 5861427	A	19990119	US 1997-866679	19970530
US 5861428	A	19990119	US 1997-866680	19970530
US 5886043	A	19990323	US 1997-866778	19970530
US 6166082	A	20001226	US 1998-57679	19980409

PRIORITY APPLN. INFO.:

US 1994-339846	A2	19941115
US 1995-462729	B1	19950605
US 1995-463490	B1	19950605
US 1995-463580	B1	19950605
US 1995-463794	B1	19950605
US 1995-464253	B1	19950605
US 1995-465626	B1	19950605
US 1995-539409	A1	19951106

OTHER SOURCE(S):                    MARPAT 129:161412

GI



I


AB Matrix metalloprotease (MMP) inhibitors TxA-B-D-E-G [I; T = halo, haloalkyl, alkynyl, (un)substituted alkyl or alkenyl; x = 0, 1, 2; A, B = arom. or heteroarom. ring; D = CO, CH(OH), CH2, C:NOH, C(S); E = substituted carbon chain; G = PO3H2, CO2H, CO2NH2, 5-tetrazolyl, etc.]

and their pharmaceutically acceptable salts were prepd. In particular, I [A = C6H4; B = 1,4-C6H4; E = certain substituted THF, tetrahydrothiophene, or pyrrolidine divalent radicals] with MMP inhibitory activity, and their pharmaceutically acceptable salts, are claimed. For instance, claimed title compd. II was prepd. from L-pyroglutaminol in 9 steps. The synthesized compds. (444) were assayed for inhibition of MMP-3, MMP-9, and MMP-2. For instance, II had corresponding IC50 values of 103, 381, and 35 nM. I inhibited tumor growth and metastasis in animal models, and inhibited cartilage lesions in a guinea pig model of osteoarthritis.


IT **179547-49-0P 179547-57-0P**  
 RL: BAC (Biological activity or effector, except adverse); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (prepn. of substituted biarylbutyric or biarylpentanoic acids and derivs. as matrix metalloprotease inhibitors)

RN 179547-49-0 CAPLUS


CN 1H-Benz[de]isoquinoline-2(3H)-butanoic acid, .alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl]-1,3-dioxo- (9CI) (CA INDEX NAME)




PAGE 2-A



RN 179547-57-0 CAPLUS  
 CN 1H-Benz[de]isoquinoline-2(3H)-butanoic acid, 6-bromo-.alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl]-1,3-dioxo- (9CI) (CA INDEX NAME)



PAGE 2-A



L4 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2001 ACS

ACCESSION NUMBER: 1996:476807 CAPLUS

DOCUMENT NUMBER: 125:142275

TITLE: Substituted 4-biarylbutyric or 5-biarylpentanoic acids

INVENTOR(S):

and derivatives as matrix metalloprotease inhibitors  
Kluender, Harold Clinton Eugene; Benz, Guenter Hans  
Heinz Herbert; Brittelli, David Ross; Bullock,

William

Harrison; Combs, Kerry Jeanne; Dixon, Brian Richard;  
Schneider, Stephan; Wood, Jill Elizabeth; Vanzandt,  
Michael Christopher; et al.

PATENT ASSIGNEE(S):

Bayer A.-G., USA

SOURCE:

PCT Int. Appl., 263 pp.

CODEN: PIXXD2

DOCUMENT TYPE:

Patent

LANGUAGE:

English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9615096	A1	19960523	WO 1995-US14002	19951109



GB, GE, HU, IS, JF, KE, KG, KF, KR, KZ, LA, LB, LI, LU, LV, LD,  
MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK,  
TJ, TM  
RW: KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FR, GB, GR, IE,  
IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR,  
NE, SN, TD, TG

CA 2201863	AA	19960523	CA 1995-2201863	19951109
AU 9641975	A1	19960606	AU 1996-41975	19951109
AU 702317	B2	19990218		
EP 790974	A1	19970827	EP 1995-940572	19951109

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT,

SE

BR 9509686	A	19970930	BR 1995-9686	19951109
CN 1163604	A	19971029	CN 1995-196209	19951109
JP 10509146	T2	19980908	JP 1995-516097	19951109
HU 78083	A2	19990830	HU 1998-233	19951109
FI 9702062	A	19970714	FI 1997-2062	19970514
NO 9702220	A	19970714	NO 1997-2220	19970514
US 5874473	A	19990223	US 1997-864666	19970528
US 5886024	A	19990323	US 1997-865325	19970528
US 5854277	A	19981229	US 1997-865639	19970530
US 5859047	A	19990112	US 1997-866798	19970530
US 5861427	A	19990119	US 1997-866679	19970530
US 5861428	A	19990119	US 1997-866680	19970530
US 5886043	A	19990323	US 1997-866778	19970530

PRIORITY APPLN. INFO.:

US 1994-339846	A	19941115
US 1995-462729	B1	19950605
US 1995-463490	B1	19950605
US 1995-463580	B1	19950605
US 1995-463794	B1	19950605
US 1995-464253	B1	19950605
US 1995-465626	B1	19950605
WO 1995-US14002	W	19951109

OTHER SOURCE(S): MARPAT 125:142275


AB Matrix metalloprotease inhibitors TxA-B-D-E-G [Tx = substituent such as halo, C1-C10 alkyl, or cyanoalkenyl; x = 0, 1, 2; A, B = arom. or heteroarom. ring; D = CO, CH(OH), CH2, C:NOH, C(S); E = substituted carbon chain; G = PO3H2, CO2H, CO2NH2, etc.] and their pharmaceutically acceptable salts were prepd. Thus,

(S)-.gamma.-oxo-4'-(pentyloxy)-.alpha.-  
(3-phenylpropyl)-[1,1'-biphenyl]-4-butanoic acid (86) was prepd. via alkylation of di-Et (3-phenylpropyl)malonate with 2,4'-dibromoacetophenone, followed by sapon.-monodecarboxylation, reaction with 4-methoxybenzeneboronic acid, Me ether cleavage, and O-pentylation. The synthesized compds. (444) were assayed for inhibition of MMP-3, MMP-9, and MMP-2. Using compds. such as 86, the no. of tumor metastases was decreased between 38 and 49% as compared to the control. The title compds. were also assayed for inhibition of cartilage lesions in a guinea pig model of osteoarthritis.


IT **179547-49-OP 179547-57-OP**  
RL: BAC (Biological activity or effector, except adverse); THU (Therapeutic use); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)  
(prepn. of substituted biarylbutyric or biarylpentanoic acids and derivs. as matrix metalloprotease inhibitors)

RN 179547-49-0 CAPLUS


CN 1H-Benz[de]isoquinoline-2(3H)-butanoic acid, .alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl]-1,3-dioxo- (9CI) (CA INDEX NAME)




PAGE 2-A



RN 179547-57-0 CAPLUS  
 CN 1H-Benz[de]isoquinoline-2(3H)-butanoic acid, 6-bromo-.alpha.-[2-(4'-chloro[1,1'-biphenyl]-4-yl)-2-oxoethyl]-1,3-dioxo- (9CI) (CA INDEX NAME)



PAGE 2-A



=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	8.70	143.02
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-1.18	-1.18

STN INTERNATIONAL LOGOFF AT 16:49:52 ON 21 JUN 2001